

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office

AUG 31 2016

Returned to applicant for correction

Corrected application filed

Map filed Aug. 13, 1968 Under 23662

The applicant Rodney St. Clair

8319 Clark Rd.

of Marsing

Street Address or PO Box

City or Town

Idaho 83639

State and ZIP Code

hereby make(s) application for permission to change the

☒ Point of diversion☐ Place of use☐ Manner of use☒ of a portion

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and identify right in Decree.)

Vested Claim V -010493

RECEIVED
AUG 31 AM 9:33
STATE ENGINEER'S OFFICE

- The source of water is Underground Source (NW Section 8 Well)
Name of stream, lake, underground, spring or other sources.
- The amount of water to be changed 1.57 c.f.s. (502.4 acre feet annually)
Second feet, acre-feet. One second foot equals 448.83 gallons per minute.
- The water to be used for Irrigation and domestic
Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use
- The water heretofore used for Irrigation and domestic
If for stock, state number and kind of animals.
- The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated.)
NE 1/4 NE 1/4 of Section 10, T. 42 N., R. 37 E., M.D.B.&M. or at a point from which the NE 1/4 Corner of said Section 10 bears N. 81° 14' W., a distance of 2605 feet. (See Beneficial Use Map Filed Under 23662 and referenced by 24633)
- The existing point of diversion is located within (If point of diversion is not changed, do not answer.)
within the NE 1/4 NW 1/4 of Section 8, T. 42 N., R. 37 E., M.D.B.&M. or at a point from which the NW Corner of said Section 8 bears N. 56° 59' 13.2" W., a distance of 1,573.48 ft. (See Map Filed Under V-010493)

23662
V10493
QRV-05
2-33A
H0

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)
unchanged

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

31.4 acres within the NE1/4 NW 1/4 of Section 8, T. 42 N., R. 37 E., M.D.B.&M.
31.4 acres within the SE1/4 NW 1/4 of Section 8, T. 42 N., R. 37 E., M.D.B.&M.
31.4 acres within the SW1/4 NW 1/4 of Section 8, T. 42 N., R. 37 E., M.D.B.&M.
31.4 acres within the NW1/4 NW 1/4 of Section 8, T. 42 N., R. 37 E., M.D.B.&M.
125.6 acres total [See attached map]

440493

9. Proposed use will be from January 1st to December 31st of each year.
Month and Day Month and Day

10. Existing use permitted from January 1st to December 31st of each year.
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Pump, Meter, Pipeline, electrical, and Pivot already installed. No additional works required.

12. Estimated cost of works \$0.00

13. Estimated time required to construct works N/A - Works Already Completed.

If well completed, describe well.

14. Estimated time required to complete the application of water to beneficial use 1 year

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

Pump, Meter, Pipeline, electrical, and Pivot already installed. No additional works required.

16. Miscellaneous remarks:

michael@stankaconsulting.com

E-mail Address

(775) 885-9283

Phone No.

Ext.

APPLICATION MUST BE SIGNED
 BY THE APPLICANT OR AGENT

Michael A. Stanka

Type or print name clearly

Signature, applicant or agent

Stanka Consulting, LTD

Company Name

3032 Silver Sage Dr., Suite 101

Street Address or PO Box

Carson City, NV 89701

City, State, ZIP Code

2016 AUG 31 AM 9:34
 STATE ENGINEERS OFFICE